

From: [Brown, Michelle](#)
To: [Cook, Brenda](#)
Subject: RE: San Mateo HRS DR_v2 pdfs
Date: Friday, August 4, 2017 2:32:34 PM

They are part of the pdfs and attached at the end

From: Cook, Brenda [mailto:cook.brenda@epa.gov]
Sent: Friday, August 04, 2017 2:29 PM
To: Brown, Michelle <Michelle.Brown@WestonSolutions.com>
Subject: RE: San Mateo HRS DR_v2 pdfs

Thank you-can you send the figures also

From: Brown, Michelle [<mailto:Michelle.Brown@WestonSolutions.com>]
Sent: Friday, August 04, 2017 2:24 PM
To: Cook, Brenda <cook.brenda@epa.gov>
Subject: San Mateo HRS DR_v2 pdfs

Hi Brenda – here are the pdfs of the version 2 San Mateo HRS DR. I've also included the additional reference used in the vanadium statement. Please let me know if you have any questions or need anything additional – thanks and have a great weekend! - Michelle

Please note our new office address below.



Michelle Brown, CHMM

Weston Solutions, Inc.

2600 Dallas Parkway, Suite 280

Frisco, Texas 75034

Direct: 469-666-5527

Cell: 972-977-2644

Michelle.Brown@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.